

SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifier** 1.1. Product form : Mixture Product name : Flo-Kling H.D. Product code · 366 Relevant identified uses of the substance or mixture and uses advised against 1.2. Use of the substance/mixture : Tile and Bowl Cleaner Details of the supplier of the safety data sheet 1.3. Chemco Products Company 19402 Susana Rd. Rancho Dominguez, CA 90221 - USA T 800-266-2116 - F 310-631-7496 http://www.flo-kem.com 1.4. **Emergency telephone number** Emergency number : CHEMTEL: 800-255-3924 SECTION 2: Hazards identification Classification of the substance or mixture 2.1. **GHS US classification** Skin Corr. 1C H314 Eye Dam. 1 H318 Full text of H statements : see section 16 2.2. Label elements **GHS US labeling** Hazard pictograms GHS05 Signal word : Danger Hazard statements : Causes severe skin burns and eye damage. Causes serious eye damage. Precautionary statements : Do not breathe fume, mist, vapors. Wash hands and forearms thoroughly after handling. Wear eye protection, face protection, protective clothing, protective gloves. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with Local, State, and Federal regulations. Hazard not otherwise classified (HNOC) 2.3. No additional information available.

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances Not applicable.

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

Flo-Kling H.D. Safety Data Sheet

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Full text of H-phrases: see section 16

3.2. Mixture			
Name	Product identifier	%	GHS US classification
phosphoric acid	(CAS-No.) 7664-38-2	20 - 25	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314
alcohols, C9-11, ethoxylated	(CAS-No.) 68439-46-3	1 - 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 2, H401

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.) *Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

SECTION 4: First aid measures	
4.1. Description of first aid measure	S
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	 Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a poison center or doctor/physician.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/effects	: Causes severe skin burns and eye damage. If you feel unwell, seek medical advice.
Symptoms/effects after skin contact	: Causes burns/corrosion of the skin.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	 Harmful if swallowed. FOLLOWING SYMPTOMS MAY APPEAR LATER: Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Abdominal pain.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECI	ION 5: Firefighting measure	5
5.1.	Extinguishing media	
Suitable	e extinguishing media	: Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth.
Unsuita	ble extinguishing media	: Do not use a heavy water stream.
5.2.	Special hazards arising from the	e substance or mixture
Reactiv	ity	: Reacts violently with (strong) bases. Reacts with (some) halogen compounds. Thermal decomposition generates : Corrosive vapors.
5.3.	Advice for firefighters	
Firefigh	ting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protecti	on during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other in	formation	: No additional information available.
SECT	ION 6: Accidental release m	ieasures
SECT 6.1.	ION 6: Accidental release m	
SECT 6.1. Genera	ION 6: Accidental release m Personal precautions, protective measures	e a compared and emergency procedures
SECT 6.1. Genera 6.1.1.	ION 6: Accidental release m Personal precautions, protective measures For non-emergency personnel	e a compared and emergency procedures
SECT 6.1. Genera 6.1.1.	ION 6: Accidental release m Personal precautions, protective measures	e equipment and emergency procedures : Isolate from fire, if possible, without unnecessary risk.
SECT 6.1. Genera 6.1.1.	ION 6: Accidental release m Personal precautions, protective measures For non-emergency personnel	Reasures e equipment and emergency procedures : Isolate from fire, if possible, without unnecessary risk. : Protective goggles.
SECT 6.1. Genera 6.1.1. Protecti	ION 6: Accidental release m Personal precautions, protective measures For non-emergency personnel	Image: State and State an
SECT 6.1. Genera 6.1.1. Protecti Emerge	ION 6: Accidental release m Personal precautions, protective measures For non-emergency personnel ve equipment	ieasures equipment and emergency procedures : Isolate from fire, if possible, without unnecessary risk. : Protective goggles. Protective gloves. Protective clothing.
SECT 6.1. Genera 6.1.1. Protecti Emerge 6.1.2.	ION 6: Accidental release m Personal precautions, protective I measures For non-emergency personnel ve equipment	ieasures equipment and emergency procedures : Isolate from fire, if possible, without unnecessary risk. : Protective goggles. Protective gloves. Protective clothing.

Flo-Kling H.D. Safety Data Sheet

6.2.	Environmental precautions	
Prever	t entry to sewers and public waters.	Notify authorities if liquid enters sewers or public waters.
6.3.	Methods and material for conta	inment and cleaning up
For cor	ntainment	: Contain released product, pump into suitable containers. Plug the leak, cut off the supply. If reacting: dilute toxic gas/vapor with water spray.
Method	ds for cleaning up	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Neutralize small quantities of the liquid spill with lime sodium bicarbonate, soda (sodium carbonate) or soda ash. Wash down leftovers with plenty of water. Wash clothing and equipment after handling.
6.4.	Reference to other sections	
No add	litional information available.	
SECT	FION 7: Handling and storag	e
7.1.	Precautions for safe handling	
Precau	itions for safe handling	: Do not get in eyes, on skin, or on clothing. Do not breathe fume, mist, vapors. Ensure good

Precautions for safe handling	ventilation of the work station. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use personal protective equipment as required.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Technical measures	: Provide local exhaust or general room ventilation. Comply with applicable regulations.
Incompatible products	: Strong bases. Oxidizing agent.
Storage area	: Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

phosphoric acid (7664-38-2)		
ACGIH	ACGIH TWA (mg/m³)	1 mg/m³
ACGIH	ACGIH STEL (mg/m ³)	3 mg/m³
OSHA	OSHA PEL (TWA) (mg/m ³)	1 mg/m³
OSHA OSHA PEL (STEL) (mg/m³) 3 mg/m³		
8.2. Exposure controls		

o.z. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or face shield.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. In case of insufficient ventilation, wear suitable respiratory equipment.
Appropriate engineering controls	 Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

9.1. Inform	n on basic physical and chemical properties
Physical state	: Liquid
Color	: Clear green
Odor	: Bubble gum
Odor threshold	: No data available
pН	: <2
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 212 °F
Flash point	: >200 °F

Flo-Kling H.D.

Safety Data Sheet

Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Vapor pressure	: No data available
Vapor density	: No data available
Specific Gravity @ 77° F	: 1.105 - 1.125
Solubility	: Soluble in water
Partition Coefficient n-Octanol-Water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: 350 - 600 cP
9.2. Other information	
V/OC content	

VOC content

: < 5 g/I CARB VOC

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with (strong) bases. Reacts with (some) halogen compounds. Thermal decomposition generates : Corrosive vapors.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and bases. Contact with halogenated compounds may liberate toxic gas.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong bases. Oxidizers.

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Phosphorus oxides. Thermal decomposition generates : Corrosive vapors.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
alcohols, C9-11, ethoxylated (68439-46-3)	alcohols, C9-11, ethoxylated (68439-46-3)		
LD50 oral rat	1378 mg/kg (Rat)		
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)		
ATE US (oral)	1378 mg/kg body weight		
phosphoric acid (7664-38-2)			
LD50 oral rat	1530 mg/kg (Rat)		
LD50 dermal rabbit	2740 mg/kg (Rabbit)		
ATE US (oral)	1530 mg/kg body weight		
ATE US (dermal)	2740 mg/kg body weight		
Skin corrosion/irritation	: Causes severe skin burns and eye damage.		
	pH: < 2		
Serious eye damage/irritation	: Causes serious eye damage.		
	pH: < 2		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		
STOT-repeated exposure	: Not classified		

Flo-Kling H.D.

Safety Data Sheet

Aspiration hazard	: Not classified
Symptoms/effects after skin contact	: Causes burns/corrosion of the skin.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Harmful if swallowed. FOLLOWING SYMPTOMS MAY APPEAR LATER: Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Abdominal pain.
SECTION 12: Ecological information	
12.1. Toxicity	
alcohols, C9-11, ethoxylated (68439-46-3)	
LC50 fish 1	5.7 mg/l (Rainbow trout)
EC50 Daphnia 1	2.5 mg/l
phosphoric acid (7664-38-2)	
EC50 Daphnia 1	> 100 mg/l
ErC50 (algae)	> 100 mg/l
12.2. Persistence and degradability	
alcohols, C9-11, ethoxylated (68439-46-3)	
Persistence and degradability	Readily biodegradable in water.
12.3. Bioaccumulative potential	
alcohols, C9-11, ethoxylated (68439-46-3)	
Bioaccumulative potential	No bioaccumulation data available.
·	
12.4. Other adverse effects	
No additional information available.	
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with Local, State, and Federal regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
SECTION 14. Transport Information	
14.1. UN Number	
UN-No.(DOT)	: UN1805
Other information	: Under 49 CFR 173.154(c) and (b)(2): This product may be shipped as ORM-D or Limited Quantity if the inner packagings do not exceed 5 L (1.3 gallons) or 5.0 kg (11 lbs). This provision does not apply to transportation by vessel or aircraft, except where other means of transportation is impracticable.
14.2. UN proper shipping name	
Dranar Shinning Name (DOT)	LINIARE Decemberic Acid Solution & DOW
Proper Shipping Name (DOT)	: UN1805, Phosphoric Acid Solution, 8, PGIII
Hazard labels (DOT)	: 8 - Corrosive
	8

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Flo-Kling H.D.

Safety Data Sheet

alcohols, C9-11, ethoxylated (68439-46-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory. Listed on the Canadian DSL (Domestic Substances List).		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
phosphoric acid (7664-38-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory. Not subject to reporting requirements of the United States SARA Section 313. Listed on the Canadian DSL (Domestic Substances List).		
RQ (Reportable quantity, section 101(14) of 5000 lb CERCLA as published on EPA's List of Lists) :		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard	

15.2. International regulations

CANADA

alcohols, C9-11, ethoxylated (68439-46-3)	
Listed on the Canadian DSL (Domestic Substances List).	
inorganic acid (7664-38-2)	
Listed on the Canadian DSL (Domestic Substances List).	

EU-Regulations

No additional information available.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

SECTION 16: Other information

Abbreviations Legend:

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H401	Toxic to aquatic life

Disclaimer

This document is generated for the purpose of distributing health, safely, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (310) 632-7124

Revision date: 10/26/2020 Supersedes: 02/27/2020 Version: 1.2