

Material Safety Data Sheet

Provided by:
DPC Industries, Inc. DX Distributors, Inc.
DPC Enterprises DX Systems Company
DXI Industries, Inc. DX Terminals

PO Box 24600
Houston, Tx 77229-4600
281-457-4888
888-647-7717
www.dxgroup.com

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name DIXICHLOR
Synonyms BLEACH
Chemical Name SODIUM HYPOCHLORITE 10%

Emergency phone: 281-457-4888
Chemtrec: 800-424-9300

Date of Issue: 1/8/2001
Revised Date: 10/4/2001

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENTS	PERCENT	CAS NO.
SODIUM HYPOCHLORITE	10	7681-52-9
SODIUM CHLORIDE	7 - 8	7647-14-5
SODIUM HYDROXIDE	0.5 - 2	1310-73-2
WATER	REMAINDER	7732-18-5

SECTION 3 - HAZARDS IDENTIFICATION

Potential Health Effects

ACGIH - TLV: NOT ESTABLISHED.

Eye Contact MAY CAUSE SEVERE PAIN, BLURRED VISION, TEARING AND SWELLING. CONCENTRATED SOLUTIONS MAY CAUSE BURNING.

Skin Contact MAY CAUSE MODERATE SKIN IRRITATION. CONTACT WITH CONCENTRATED SOLUTIONS MAY BLEACH THE SKIN AND CAUSE REDNESS, PAIN, BLISTERING, ITCHY ECZEMA AND POSSIBLE CHEMICAL BURNS.

Ingestion MAY CAUSE PAIN AND INFLAMMATION OF THE MOUTH, THROAT, ESOPHAGUS, AND STOMACH. CAN CAUSE EROSION OF MUCOUS MEMBRANES, ESPECIALLY IN THE STOMACH.

Inhalation VAPORS MAY CAUSE SLIGHT TO SEVERE IRRITATION OF THE RESPIRATORY TRACT. HIGH CONCENTRATIONS MAY CAUSE SORE THROAT, BLISTERING, DELAYED PULMONARY EDEMA (SWELLING OF LUNG TISSUE) AND SHORTNESS OF BREATH.

Carcinogenicity: NTP NO IARC NO OSHA NO

SECTION 4 - FIRST AID PROCEDCURES

Eye Contact: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION.

Skin Contact: IMMEDIATELY REMOVE CONTAMINATED CLOTHING OR SHOES, WIPE EXCESS FROM SKIN AND FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. USE SOAP IF AVAILABLE OR FOLLOW BY WASHING WITH SOAP AND WATER. DO NOT REUSE CLOTHING UNTIL THOROUGHLY CLEANED. GET MEDICAL ATTENTION.

Inhalation: REMOVE VICTIM TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. GET MEDICAL ATTENTION.

Ingestion: DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. IF CONSCIOUS, GIVE LARGE QUANTITIES OF WATER OR MILK AND GET IMMEDIATE MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON!

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point	NONFLAMMABLE.
Extinguishing Media	USE MEDIA APPROPRIATE FOR SURROUNDING AREA.
Special Firefighting Procedures/Precuations	WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. STAY UPWIND AND KEEP OUT OF LOW AREAS.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

For Spill:	CLEAN-UP PERSONNEL SHOULD USE PROTECTIVE EQUIPMENT TO PREVENT CONTACT. CONTAIN MATERIAL. PLACE COLLECTED MATERIAL IN A DISPOSAL CONTAINER. PREVENT LIQUID FROM ENTERING SEWERS OR WATERWAYS. DO NOT USE COMBUSTIBLE ABSORBENTS.
-------------------	---

SECTION 7 - HANDLING AND STORAGE

Keep container tightly closed when not in use. Store in a cool, dry, well-ventilated area, away from heat and incompatible materials. Protect containers from physical damage.

AVOID CONTACT WITH EYES AND SKIN AND INHALATION OF VAPORS, MISTS, AND FUMES.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection	USE NIOSH APPROVED RESPIRATOR PROTECTION. FOR CANISTER TYPE RESPIRATORS, USE CHLORINE FILTERS. IN CASE OF FIRE, WEAR SELF-CONTAINED BREATHING APPARATUS.
Ventilation	LOCAL AND MECHANICAL RECOMMENDED.
Protective Gloves	CHEMICAL IMPERVIOUS GLOVES.
Eye/Face Protection	CHEMICAL SAFETY GOGGLES AND/OR FULL-FACE SHIELD.
Other Protection	CHEMICAL RESISTANT CLOTHING SUCH AS COVERALLS/APRON, BOOTS, ETC.
Work Practices	USE GOOD PERSONAL HYGIENE PRACTICES. WASH HANDS BEFORE EATING, DRINKING, SMOKING, OR USING TOILET FACILITIES. PROMPTLY REMOVE SOILED CLOTHING AND WASH THOROUGHLY BEFORE REUSE. SHOWER AFTER WORK USING PLENTY OF SOAP AND WATER.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point (°F):	DECOMPOSES	Vapor Pressure (mmHg):	17.5 (@ 20 C)
Freezing Point (°F):	7 - 10	Vapor Density (Air=1):	NOT ESTABLISHED.
Solubility (H2O):	COMPLETE	Specific Gravity (H2O=1):	1.20 - 1.40
pH	12 - 13	Evaporation Rate:	NOT ESTABLISHED.
Appearance/Odor:	CLEAR, PALE YELLOW OR GREENISH LIQUID WITH A CHLORINE ODOR.		

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability:	YES
Incompatible Materials	ANY ACIDIC MATERIAL, AMMONIA, UREA, OXIDIZABLE MATERIALS AND METALS, SUCH AS NICKEL, COPPER, TIN, ALUMINUM AND IRON.
Decomposition Products	CHLORINE GAS RATE OF DECOMPOSITION INCREASES WITH THE CONCENTRATION WITH TEMPERATURES ABOVE 85 DEGREES F.
Hazardous Polymerization:	WILL NOT OCCUR.

SECTION 11 - TOXICITY INFORMATION

Oral = > 8000 mg/kg (Rat) Dermal LD50 = N.E. Inhalation LC50= > 10.5 mg/l (Rat)

SECTION 12 - ECOLOGICAL INFORMATION

DAPHNIA MAGNA 24 HR. LC50 = > 500 MG/L ZEBRA FISH STA TIC 24 HR. LC50 = > 500 MG/L

SECTION 13 - DISPOSAL CONSIDERATIONS

DISPOSE OF WASTE MATERIALS ACCORDING TO ALL FEDERAL, STATE AND LOCAL REGULATIONS.

SECTION 14 - TRANSPORT INFORMATION

USA DOT Shipping Name: HYPOCHLORITE SOLUTION

Hazard Class: 8

UN/NA Number: UN1791

Packing Group: III

Subsidiary Hazard

Marine Pollutant: NO

SECTION 15 - REGULATORY INFORMATION

CERCLA RQ (lbs): 100

SARA Title III Section 312:

☒ **Acute** ☐ **Chronic** ☐ **Flammable** ☐ **Sudden Release of Pressure** ☐ **Reactive**

SARA Title III Section 313: No

SARA Extremely Hazardous Substance: No

HMIS HAZARD RATING

Health: 2

Fire: 0

Reactivity: 1

0 - Least

1 - Slight

2 - Moderate

3 - High

4 - Extren

SECTION 16 - OTHER INFORMATION

EPA Pesticide Registration Number: 813-16

NSF Maximum Use Level for Potable Water (Standard 60): 105 mg/l

TSCA (Toxic Substance Control Act), 40 CFR 710:

Sources of the raw materials used in this mixture assure that all chemical ingredients present are in compliance with Section 8(b) Chemical Substance Inventory, or are otherwise in compliance with TSCA.

DISCLAIMER

THE DATA PRESENTED IS TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE AND BELIEF; HOWEVER, NEITHER SELLER NOR PREPARER MAKES ANY WARRANTIES, EXPRESSED OR IMPLIED, CONCERNING THE INFORMATION PRESENTED. THE USER IS CAUTIONED TO PERFORM HIS OWN HAZARD EVALUATION AND TO RELY UPON HIS OWN DETERMINATIONS.